



CHEMIGUM® NVC 473E
NBR/PVC polyblend

KEY ADVANTAGES

- Combines the oil, fuel and thermal resistance of NBR with the ozone and weather resistance of PVC
- E grades are free from DOP and toxic heavy metals
- Easy processing

APPLICATIONS

- Extruded and molded products for outdoor applications
- Automotive and industrial rubber goods
- Applications requiring good bonding to fabric in products such as fire fighting hose, belting and industrial rollers

TYPICAL PROPERTIES

PHYSICAL PROPERTIES

Type	Polyblend
Appearance	Light tan sheets
Viscosity ML1+4(100°C)	61
Ash	0.55%
Volatiles	0.35%
Specific Gravity	1.03
NBR:PVC by Weight	70:30

PACKAGING, HANDLING AND STORAGE

- Packaging: 20' FCL (28 crates -17,640 kg/38,889 lb.). Bulk (Wood Crate, 18 units - 630 kg/1389 lb.). Unit (35 kg/ 77 lb. packed sheets, wrapped in plastic film).
- Safety & Handling: May contain traces of residual monomers, which may be released during processing at high temperatures. Adequate ventilation should be employed in the processing areas.
- Storage: Store in original packaging, away from sunlight and sources of heat. These polyblends have a minimum shelf-life of 24 months from date of production under good storage practices.
- An MSDS is available on www.quickfds.com or may be obtained by contacting your Customer Service Representative.

NOTE: Although the data supplied above is believed to be accurate, each user is advised to make an independent determination as to whether the described product(s) is/are appropriate for a particular use or application, whether such use will comply with all applicable laws or regulations, or whether such use will infringe the intellectual property rights of third parties.

www.omnova.com



Americas

World Headquarters
175 Ghent Road
Fairlawn, OH 44333 USA
PHONE +1 330 869-4323
FAX +1 330 869-4338
CUSTOMER SERVICE +1 888 253-5454
EMAIL pccustserv@omnova.com

Europe / Middle East / Africa / India

14, avenue des Tropiques
Z.A. de Courtaboeuf 2 - Villejust
91955 Courtaboeuf Cedex
France
PHONE +33 (0) 1 69 29 27 00
FAX +33 (0) 1 69 29 27 01
PHONE (INDIA) +91 (22) 66 84 09 13
EMAIL (INDIA) indiasales@omnovasolutions.com

Asia

Unit 09-11, 7th Floor,
Greenland Riverside International Center
596 Long Hua Middle Road, Xu Hui District
Shanghai, 200032, China
PHONE +86 (21) 6473 2525
FAX +86 (21) 5421 1766

ALL OMNOVA PRODUCTS AND SERVICES ARE OFFERED AND SOLD SUBJECT TO THE OMNOVA STANDARD TERMS AND CONDITIONS OF SALE AGREEMENT SET FORTH AT WWW.OMNOVA.COM.

All trademarks - OMNOVA Solutions.