

SAFETY DATA SHEET

Issue Date No data available Revision Date 25-Jan-2013 Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name MAGNIC, PLIOFLEX 1778

Safety data sheet number G0027

Recommended Use Production of tires and other rubber products.

Company Name The Goodyear Tire & Rubber Company, 200 Innovation Way, Akron, Ohio 44316-0001

U.S.A

Goodyear Canada Inc. 450 Kipling Ave. Etobicoke, Ontario M8Z 5E1 Canada

Company Phone Number Technical Assistance 1.330.796.1906

24 Hour Emergency Phone Number Goodyear / 24 hour Assistance 1.330.796.5111

Emergency Telephone Chemtrec (USA) 1.800.424.9300

Canutec (Canada) 1.613-996-6666

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label elements

Emergency Overview

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance brown Physical state Solid Odor Slight

Hazards not otherwise classified (HNOC)

Not applicable

Other hazards

Contact with molten material can result in thermal burns.

Other Information

1.0821% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Styrene-Butadiene polymer	9003-55-8	60-80

Petroleum distillates, hydrotreated heavy naphthenic	64742-52-5	15-30
Tall oil rosin	8052-10-6	3-7

Chemical Additions Composition may vary due to batch process.

4. FIRST AID MEASURES

First aid measures

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eve irritation persists: Get medical advice/attention.

Skin Contact Wash with soap and water.

InhalationMove to fresh air in case of accidental inhalation of vapors or decomposition products.

Ingestion Not an expected route of exposure. Clean mouth with water. Drink plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Conditions for safe storage, including any incompatibilities

Storage Conditions Store at room temperature. Keep in a dry, cool and well-ventilated place. Keep away from

food, drink and animal feeding stuffs.

Incompatible materials None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure GuidelinesThis product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. In case of insufficient

ventilation, wear suitable respiratory equipment.

General Hygiene Considerations Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid

AppearancebrownOdorSlight

Odor threshold No information available

Property Values Remarks • Method

 pH
 Not applicable
 None known

 Melting point/freezing point
 No data available
 None known

 Boiling point / boiling range
 Not applicable
 None known

 Flash point
 Not applicable
 None known

 Function rate
 Not applicable
 None known

Evaporation rate Not applicable None known Flammability (solid, gas) No data available None known

Vapor pressureNot applicableNone knownVapor densityNot applicableNone knownSpecific GravityNo data availableNone known

Water solubility
No data available
Solubility in other solvents
No data available

Solubility in other solventsNo data availableNone knownPartition coefficientNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone known

Other Information

Softening point No data available

Molecular weightNot applicableVOC Content (%)No data availableDensityNo information availableBulk densityNo information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

To avoid thermal decomposition, do not overheat.

Incompatible materials

None known.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information

Inhalation None known.

Eye contact None known.

Skin Contact None known.

Ingestion None known.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5	> 5000 mg/kg (Rat)	> 5000 mg/kg(Rabbit)	> 5 mg/L (Rat)4 h
Tall oil rosin 8052-10-6	= 7600 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms None known.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.

Carcinogenicity

The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London.

This note applies only to certain complex oil-derived substances in Part 3.

	This hold app	siles offig to certain comple	A OII actived substances in	ii aito.
Chemical Name	ACGIH	IARC	NTP	OSHA
Styrene-Butadiene polymer		Group 3		
9003-55-8				

G0027 - MAGNIC, PLIOFLEX 1778

Petroleum distillates,	A2	Group 1	Х
hydrotreated heavy			
naphthenic			
64742-52-5			

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No applicable.

Unknown Acute Toxicity 1.0821% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 16409 ATEmix (dermal) 4067 ATEmix (inhalation-dust/mist) 5.5

12. ECOLOGICAL INFORMATION

Ecotoxicity

7.13% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to microorganisms	Daphnia magna (Water Flea)
Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5		LC50 96 h: > 5000 mg/L Oncorhynchus mykiss		EC50 48 h: > 1000 mg/L Daphnia magna
Tall oil rosin 8052-10-6	EC50 72 h: 185 - 217 mg/L Pseudokirchneriella subcapitata	LC50 96 h: 100 - 200 mg/L static Brachydanio rerio		EC50 48 h: 238 - 479 mg/L Daphnia magna

Bioaccumulation

None known.

Mobility

None known.

Persistence and degradability

No information available.

Chemical Name	Partition coefficient
Tall oil rosin	3.6
8052-10-6	

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesThis material, as supplied, is not a hazardous waste according to state and federal

regulations (40 CFR 261)

Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

DOTNot regulatedTDGNot regulatedMEXNot regulated

15. REGULATORY INFORMATION

International Inventories

Component	TSCA	DSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Styrene-Butadiene polymer 9003-55-8 (60-80)	X	X	X		(6)-134 (6)-1623	X	KE-13258	X	Х
Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5 (15-30)		Х	265-155-0		(9)-1689	Х	KE-12543	Х	Х
Tall oil rosin 8052-10-6 (3-7)	Х	Х	232-484-6		(7)-934	Х	KE-32898	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard No
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
1,3-Butadiene - 106-99-0	Carcinogen
	Developmental
	Female Reproductive

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Styrene-Butadiene polymer 9003-55-8	X		
Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5	Х		
Tall oil rosin 8052-10-6	Х		
1,3-Butadiene 106-99-0	Х	X	Х

International Regulations

Mexico - Grade

No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

Non-controlled

16. OTHER INFORMATION

NFPA Health hazards 0 Flammability 1 Instability 0 Physical and Chemical

Properties -

Health hazards 0 Flammability 1 Physical hazards 0 Personal protection X

Revision Date 25-Jan-2013

Revision Note

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet