

SDSUS / EN / TSDSUS04 Version: 2.1 Revision Date: 05/25/2015 Initiator: 0001 / PRD

150000093127

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name: 4-ADPA

Product No.: P3408602

Additional identification

Chemical name: N-(4-Aminophenyl)aniline

CAS-No.: 101-54-2

Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Chemical Intermediate, monomer

Uses advised against: None known.

Details of the supplier of the safety data sheet

Manufacturer / Supplier

Eastman Chemical Company 200 South Wilcox Drive Kingsport, TN 37660-5280 US +14232292000

Visit our website at www.EASTMAN.com or email emnmsds@eastman.com

Emergency telephone number:

For emergency health, safety, and environmental information, call 1-423-229-4511 or 1-423-229-2000.

For emergency transportation information, in the United States: call CHEMTREC at 800-424-9300 or call 423-229-2000.

SECTION 2: Hazards identification

Hazard Classification:

Health Hazards

Acute toxicity (Oral)

Serious Eye Damage/Eye Irritation

Category 4

Category 2B

Skin sensitizer

Category 1

OSHA Specified Hazards: not applicable

Warning label items including precautionary statement:

Pictogram:





> Initiator: 0001 / PRD 150000093127

Signal Words: Warning

Hazard Statement(s): H302: Harmful if swallowed.

H320: Causes eye irritation.

H317: May cause an allergic skin reaction.

Precautionary Statement:

Prevention: P261: Avoid breathing dust/mist/vapors.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P272: Contaminated work clothing must not be allowed out of the

workplace.

P280: Wear protective gloves/protective clothing/eye protection/face

protection.

Response: P301+P312: IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

P330: Rinse mouth.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention. P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P363: Wash contaminated clothing before reuse.

Disposal: P501: Dispose of contents/container to an appropriate treatment and

disposal facility in accordance with applicable laws and regulations, and

product characteristics at time of disposal.

Hazard(s) not otherwise

classified (HNOC):

None known.

SECTION 3: Composition/information on ingredients

Substances / Mixtures

General information:

Chemical name	Concentration	Additional identification	Notes
N-(4-aminophenyl)aniline	97 - 100%	CAS-No.: 101-54-2	

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

General: Get medical attention if symptoms occur. Show this safety data sheet to the

doctor in attendance. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Place unconscious person on the side in the recovery position and ensure breathing can take place. Ensure that medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

[#] This substance has workplace exposure limit(s).



Initiator: 0001 / PRD 150000093127

Description of first aid measures

Inhalation: Move into fresh air and keep at rest. For breathing difficulties, oxygen may

be necessary. Consult a physician for specific advice. Persons who have inhaled vapours or smoke fumes have to be put under medical observation

for at least 48 hours, due to the delayed appearance of poisoning.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Get medical attention if symptoms occur. If molten material contacts the eye, immediately flush with plenty of water for at least

15 minutes. Get medical attention immediately.

Skin contact: Immediately remove contaminated clothing and shoes and wash skin with

soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention. If burned by contact with hot material, cool molten material adhering to skin as quickly as possible with water, and see a physician for removal of adhering material and treatment of burn. Wash

contaminated clothing before reuse. Destroy or thoroughly clean

contaminated shoes.

Ingestion: If swallowed, rinse mouth with water (only if the person is conscious). Get

medical attention if symptoms occur. Do not induce vomiting unless directed to do so by medical personnel. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Provide fresh air, warmth and rest, preferably in

comfortable upright sitting position. Loosen tight clothing such as a collar,

tie, belt or waistband.

Most important symptoms and

effects, both acute and

delayed:

Harmful if swallowed. May cause allergic skin reaction. Causes serious eye

irritation.

Indication of any immediate medical attention and special treatment needed

Hazards: Contact with molten substance/product may cause severe burns to skin and

eyes. Harmful if swallowed. May cause sensitization by skin contact.

Causes serious eye irritation.

Treatment: Treat symptomatically.

SECTION 5: Firefighting measures

General Fire Hazards: Promptly isolate the scene by removing all persons from the vicinity of the

incident if there is a fire. Keep upwind. In case of fire and/or explosion do

not breathe fumes.

Extinguishing media

Suitable extinguishing

media:

Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing

media:

Avoid water in straight hose stream; will scatter and spread fire.



> Initiator: 0001 / PRD 150000093127

Special hazards arising from the substance or mixture:

May ignite at high temperature. During fire, gases hazardous to health may be formed. Risk of chemical pneumonia after aspiration. Hazardous Combustion Products: carbon dioxide, carbon monoxide, soot, Oxides of nitrogen. Leaked material and fire-fighting water may pollute water system.

Advice for firefighters Special fire fighting procedures:

In case of fire: Evacuate area. Move container from fire area if it can be done without risk. Use water spray to keep fire-exposed containers cool. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures: No action shall be taken involving any personal risk or without suitable training. Keep unauthorized personnel away. Ventilate closed spaces before entering them. Avoid inhalation of vapors and spray mists. Wear appropriate personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Caution: Contaminated surfaces may be slippery.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Clear up spills immediately and dispose of waste safely. Do not contaminate water sources or sewer.

Methods and material for containment and cleaning up:

Small Liquid Spills: Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Large Spillages: Dike for later disposal. Collect spillage in containers, seal securely and deliver for disposal according to local regulations. Otherwise, absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Prevent runoff from entering drains, sewers, or streams.

Notification Procedures:

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.



Initiator: 0001 / PRD 150000093127

SECTION 7: Handling and storage:

Precautions for safe handling:

Do not handle until all safety precautions have been read and understood. Handle product only in closed system or provide appropriate exhaust ventilation at machinery. An eye wash bottle must be available at the work site. Wear appropriate personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Avoid contact with hot material. Do not taste or swallow. Do not breathe mist or vapor from heated material. In case of inadequate ventilation, use respiratory protection. Do not get in eyes and avoid contact with skin and clothing. Wash promptly with soap and water if skin becomes contaminated. Remove contaminated clothing and wash it before reuse. Destroy or thoroughly clean contaminated shoes. Drain or remove substance from equipment prior to break-in or maintenance. Handle in accordance with good industrial hygiene and safety

practice. See also Section 8 for additional information on hygiene

measures.

Conditions for safe storage, including any incompatibilities:

Keep container tightly closed and in a well-ventilated place. Ground container and transfer equipment to eliminate static electric sparks. Store away from incompatible materials. Keep away from food, drink and animal feeding stuffs. Store in accordance with local/regional/national/international regulations.

Specific end use(s): No data available.

SECTION 8: Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Country specific exposure limits have not been established or are not applicable unless listed below.

Exposure controls

Appropriate engineering controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: An eye wash bottle must be available at the work site. Provide access to

washing facilities including soap, skin cleanser and fatty cream.

Eye/face protection: Safety eyewear complying with an approved standard should be used when

a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Recommendations: Wear safety glasses with side shields (or goggles). Use safety goggles and face shield in case of

splash risk.



SDSUS / EN / TSDSUS04 Version: 2.1 Revision Date: 05/25/2015 Initiator: 0001 / PRD

150000093127

Skin protection Hand Protection:

Nitrile rubber. Polyvinyl chloride (PVC). It is a good industrial hygiene practice to minimize skin contact. If prolonged or repeated contact is likely, chemical resistant gloves are recommended. If contact with forearms is likely, wear gauntlet style gloves. Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions. After contamination with product change the gloves immediately and dispose of them according to relevant national and local regulations. When material is heated, wear gloves to protect against thermal burns.

Other:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommendations: Thermally protective, chemical resistant apron and long sleeves are recommended when volume of hot material is significant. If prolonged or repeated contact is likely, chemical resistant clothing is recommended. Promptly remove non-impervious clothing that becomes wet or contaminated.

Respiratory Protection:

Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using the product. Wash at the end of each work shift and before eating, smoking and using the toilet. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Keep away from food, drink and animal feeding stuffs.

Environmental Controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Do not contaminate water sources or sewer.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state:Solid or liquidForm:Melt, moltenColor:Dark blue-violet

Odor: Aromatic

Odor Threshold:



> Initiator: 0001 / PRD 150000093127

pH: 8.9

Melting Point 70 - 76 °C

Boiling Point: 354 °C (1,013 hPa)

Flash Point: 193 °C (Tagliabue Closed Cup)

Evaporation Rate: No data available.

Flammability (solid, gas): This product is not flammable.

Flammability Limit - Upper (%)-:

Flammability Limit - Lower (%)-:

Vapor pressure:

No data available.

No data available.

0.0000017 hPa (25 °C)

Vapor density (air=1):

No data available.

Tapor delisity (dii-1).

Specific Gravity: 1.1 (15 °C)

Solubility(ies)

Solubility in Water:503.8 g/l (20 °C)Solubility (other):No data available.

Partition coefficient (n-octanol/water): log Pow: 1.82 (QSAR model)

Autoignition Temperature: > 500 °C

Decomposition Temperature:No data available.Dynamic viscosity:No data available.Kinematic viscosity:Not determined.Explosive properties:Not classified.Oxidizing properties:Not classified.

SECTION 10: Stability and reactivity

Reactivity: Material is stable under normal conditions.

Chemical Stability: Material is stable under normal conditions.

Possibility of Hazardous

Reactions:

None under normal conditions.

Conditions to Avoid: Heating in air.

Incompatible Materials: Strong acids. Strong oxidizing agents.

Hazardous Decomposition

Products:

Emits acrid smoke and fumes when heated to decomposition.

SECTION 11: Toxicological information

Information on likely routes of exposure Inhalation:

None known.

Ingestion: Harmful if swallowed.

Skin contact: May cause an allergic skin reaction.

Eye contact: Causes eye irritation.



Initiator: 0001 / PRD 150000093127

Information on toxicological effects

Oral

Product: Oral LD-50: (Rat): 336 mg/kg Harmful if swallowed.

Dermal

Product: Dermal LD-50: (Rabbit): > 5,000 mg/kg

Not classified.

Inhalation

Product: LC50 (,): No data available.

Repeated dose toxicity

Product: NOAEL (Rat, in feed): 100 mg/kg Based on available data, the classification criteria

are not met.

Skin Corrosion/Irritation

Product: Acute Dermal Irritation / Corrosion (Rabbit, 4 h): Slightly irritating.

Serious Eye Damage/Eye Irritation

Product: (Rabbit, 24 - 72 h): Moderately irritating to the eyes.

Respiratory or Skin Sensitization

Product: Respiratory Sensitization: (Guinea Pig): sensitizing

Carcinogenicity

Product: This product does not contain any carcinogens or potential carcinogens as

listed by OSHA, IARC or NTP.

Toxicity to reproduction

Product: Weight of evidence.; NOAEL: 435 mg/kg; Ingestion; Remarks: There is no

evidence to indicate potential for adverse reproductive effects in humans.

Developmental toxicity

Product: ; NOAEL: 50 mg/kg; EPA OTS 798.4900; Remarks: Conclusive but not

sufficient for classification

Germ Cell Mutagenicity

In vitro

Product: Salmonella typhimurium assay (Ames test) (Bacterial Reverse Mutation Assay):

negative

Mutagenicity - Mammalian (In vitro Mammalian Cell Gene Mutation Test): negative

Chromosomal aberration: negative

Mutagenicity - Mammalian (Genetic Toxicology: DNA Damage and Repair, Unscheduled DNA Synthesis in Mammalian Cells In Vitro): negative

In vivo

Product: (Rat)Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure

Product: Not classified.

Specific Target Organ Toxicity - Repeated Exposure

Product: Oral: Based on available data, the classification criteria are not met.



Initiator: 0001 / PRD 150000093127

Aspiration Hazard

Product: Not classified.

Other effects: No data available.

SECTION 12: Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: LC-50 (Danio rerio, 96 h): 1.17 mg/l

Aquatic Invertebrates

Product: EC-50 (Daphnia magna, 48 h): 0.29 mg/l

Chronic hazards to the aquatic environment:

Fish

Product: NOEC : No data available.

Aquatic Invertebrates

Product: NOEC (Water Flea, 21 d): 0.04 mg/l

Toxicity to Aquatic Plants

Product: ErC50 (Scenedesmus subspicatus, 72 h): 3.75 mg/l

ErC10 (Scenedesmus subspicatus, 72 h): 1.41 mg/l

Persistence and Degradability

Biodegradation

Product: Expected to be inherently biodegradable.

BOD/COD Ratio

Product: No data available.

Bioaccumulative Potential

Bioconcentration Factor (BCF)

Product: Bioconcentration Factor (BCF): 7 (calculated) Will not bio-accumulate.

Partition Coefficient n-octanol / water (log Kow)

Product: Log Kow: 1.82 (QSAR model)

Mobility in Soil: Log Koc: 2.72 (Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage

Sludge using High Performance Liquid Chromatography (HPLC))

Other Adverse Effects: No data available.



SDSUS / EN / TSDSUS04 Version: 2.1

Revision Date: 05/25/2015 Initiator: 0001 / PRD 150000093127

SECTION 13: Disposal considerations

Waste treatment methods

General information: The generation of waste should be avoided or minimized wherever

possible.

Disposal methods: Dispose of waste and residues in accordance with local authority

requirements.

Since emptied containers retain product residue, follow label warnings even

after container is emptied.

SECTION 14: Transport information

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.

DOT

Class not regulated

Possible Shipping Description(s):

not regulated

IMDG - International Maritime Dangerous Goods Code

Marine pollutant.: (N-(4-aminophenyl)aniline)

Possible Shipping Description(s):

UN 3257 ELEVATED TEMPERATURE LIQUID, N.O.S. (N-(4-aminophenyl)aniline) 9 III

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (N-(4-aminophenyl)aniline) 9 III

IATA

Class 9, Packing Group III when shipped by air from or to the Netherlands or between European Union and Australia; otherwise, not regulated. Possible Shipping Description(s):

UN 3077 Environmentally hazardous substance, solid, n.o.s. (N-(4-aminophenyl)aniline) 9 III

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture.:



> Initiator: 0001 / PRD 150000093127

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

WHMIS (Canada) Status: controlled

WHMIS (Canada) Hazard Classification: D/2/B

SARA 311-312 Hazard Classification(s):

immediate (acute) health hazard

US EPCRA (SARA Title III) Section 313 - Toxic Chemical List

NONE

OSHA: hazardous

TSCA (US Toxic Substances Control Act): All components of this product are listed on the TSCA inventory. Any impurities present in this product are exempt from listing.

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act): All components of this product are listed on the DSL. Any impurities present in this product are exempt from listing.

AICS / NICNAS (Australian Inventory of Chemical Substances and National Industrial Chemicals Notification and Assessment Scheme): All components of this product are listed on AICS or otherwise comply with NICNAS.

MITI (Japanese Handbook of Existing and New Chemical Substances): All components of this product are listed in the Handbook or have been approved in Japan by new substance notification.

ECL (Korean Toxic Substances Control Act): All components of this product are listed on the Korean inventory or otherwise comply with the Korean Toxic Substances Control Act.

Philippines Inventory (PICCS): All components of this product are listed on the Philippine inventory or otherwise comply with PICCS.

Inventory of Existing Chemical Substances in China: All components of this product are listed on the Inventory of Existing Chemical Substances in China (IECSC).

SECTION 16: Other information

HMIS® Hazard Ratings: Health - 2, Flammability - 1, Chemical Reactivity - 0

HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this MSDS must be considered.

Revision Information: Not relevant.

Key literature references and

sources for data:

Chemical Safety Report

Training information: No data available.

Issue Date: 05/25/2015

SDS No.:



Initiator: 0001 / PRD 150000093127

Disclaimer:

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.