

**Therminol® 72 Heat Transfer Fluid**

Version 3.1 PRD Revision Date: 01/15/2020 SDS Number: 150000093443 SDSUS / Z8 / 0001 Date of last issue: 01/09/2019 Date of first issue: 09/06/2016

---

**SECTION 1. IDENTIFICATION**

Product name : Therminol® 72 Heat Transfer Fluid

Product code : 34136-00, P3413603, P3413602, P3413600, E3413601

**Manufacturer or supplier's details**

Company name of supplier : Eastman Chemical Company

Address : 200 South Wilcox Drive  
Kingsport TN 37660-5280

Telephone : (423) 229-2000

Emergency telephone : CHEMTREC: +1-800-424-9300, +1-703-527-3887 CCN7321

**Recommended use of the chemical and restrictions on use**

Recommended use : Heat transfer fluids

Restrictions on use : None known.

---

**SECTION 2. HAZARDS IDENTIFICATION**

**GHS classification in accordance with 29 CFR 1910.1200**

Acute toxicity (Inhalation) : Category 4

Skin sensitization : Sub-category 1B

Specific target organ toxicity : Category 3 (Respiratory system)  
- single exposure

Aspiration hazard : Category 1

**GHS label elements**

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H304 May be fatal if swallowed and enters airways.  
H317 May cause an allergic skin reaction.  
H332 Harmful if inhaled.  
H335 May cause respiratory irritation.

---

## Therminol® 72 Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: 01/09/2019
3.1	01/15/2020	150000093443	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Precautionary Statements : **Prevention:**

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves.

**Response:**

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.  
P331 Do NOT induce vomiting.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS****Components**

Chemical name	CAS-No.	Concentration (% w/w)
diphenyl oxide	101-84-8	45
Biphenyl; diphenyl	92-52-4	16
Phenanthrene	85-01-8	< 1
Terphenyl	26140-60-3	39

**SECTION 4. FIRST AID MEASURES**

If inhaled : Remove person to fresh air and keep comfortable for breathing.  
If breathing is difficult, give oxygen.  
Consult a physician if necessary.

In case of skin contact : Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.  
If skin irritation occurs: Get medical advice/ attention.  
Wash contaminated clothing before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

## Therminol® 72 Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: 01/09/2019
3.1	01/15/2020	150000093443	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

---

for at least 15 minutes.  
Get medical attention if symptoms occur.

If swallowed : IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
Do NOT induce vomiting.  
Rinse mouth.  
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Harmful if inhaled.  
May cause respiratory irritation.  
May cause an allergic skin reaction.  
The molten product can cause serious burns.

Notes to physician : Treat symptomatically.

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical  
Foam

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

Hazardous combustion products : Hazardous decomposition products due to incomplete combustion  
Carbon oxides

Further information : Use a water spray to cool fully closed containers.  
Do not allow run-off from fire fighting to enter drains or water courses.

Special protective equipment for fire-fighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Ventilate the area.  
Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
Avoid contact with skin and eyes.  
Material can create slippery conditions.  
Wear appropriate personal protective equipment.  
Local authorities should be advised if significant spillages cannot be contained.

Environmental precautions : Clear up spills immediately and dispose of waste safely.  
Avoid release to the environment.

## Therminol® 72 Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: 01/09/2019
3.1	01/15/2020	15000093443	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Collect spillage.

Methods and materials for containment and cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).  
Prevent runoff from entering drains, sewers, or streams.

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not breathe vapors or spray mist.  
Handle product only in closed system or provide appropriate exhaust ventilation at machinery.  
In case of insufficient ventilation, wear suitable respiratory equipment.  
Keep away from flames and sparks.  
Wear appropriate personal protective equipment.  
Avoid contact with skin, eyes and clothing.  
Wash thoroughly after handling.  
Wash contaminated clothing before reuse.  
Drain or remove substance from equipment prior to break-in or maintenance.  
Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage : Store locked up.  
Keep container tightly closed in a dry and well-ventilated place.  
Keep in a cool place away from oxidizing agents.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
diphenyl oxide	101-84-8	TWA (Vapor)	1 ppm	ACGIH
		STEL (Vapor)	2 ppm	ACGIH
		TWA (Vapor)	1 ppm 7 mg/m <sup>3</sup>	NIOSH REL
		TWA (Vapor)	1 ppm 7 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Vapor)	1 ppm 7 mg/m <sup>3</sup>	OSHA P0
Biphenyl; diphenyl	92-52-4	TWA	0.2 ppm	ACGIH
		TWA	0.2 ppm 1 mg/m <sup>3</sup>	NIOSH REL
		TWA	0.2 ppm	OSHA Z-1

**Therminol® 72 Heat Transfer Fluid**

Version 3.1 PRD      Revision Date: 01/15/2020      SDS Number: 150000093443      Date of last issue: 01/09/2019  
 Date of first issue: 09/06/2016  
 SDSUS / Z8 / 0001

			1 mg/m3	
		TWA	0.2 ppm 1 mg/m3	OSHA P0
Terphenyl	26140-60-3	C	1 ppm 9 mg/m3	OSHA Z-1
		C	0.5 ppm 5 mg/m3	OSHA P0

**Engineering measures** : Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Personal protective equipment**

**Respiratory protection** : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Hand protection

**Remarks** : Wear suitable gloves. When handling hot material, use heat resistant gloves.

**Eye protection** : Wear safety glasses with side shields (or goggles).

**Skin and body protection** : Wear suitable protective clothing.

**Protective measures** : Ensure that eye flushing systems and safety showers are located close to the working place.

**Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** : liquid

**Color** : amber

## Therminol® 72 Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: 01/09/2019
3.1	01/15/2020	150000093443	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

---

Odor	:	aromatic
Odor Threshold	:	not determined
pH	:	No data available
Melting point/freezing point	:	-0.40 °F / -18 °C
Boiling point/boiling range	:	520 °F / 271 °C (1,013 hPa)
Flash point	:	270 °F / 132 °C  Method: Cleveland open cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Self-ignition	:	1085 °F / 585 °C
Upper explosion limit / Upper flammability limit	:	7 %(V)
Lower explosion limit / Lower flammability limit	:	1 %(V)
Vapor pressure	:	< 0.01 hPa (68 °F / 20 °C)  0.134 hPa (122 °F / 50 °C)  623.5 kPa (716 °F / 380 °C)
Relative vapor density	:	10
Relative density	:	1.05 (77 °F / 25 °C)
Density	:	1,084 kg/m <sup>3</sup> (59 °F / 15 °C)
Solubility(ies)		
Water solubility	:	practically insoluble
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	not determined
Decomposition temperature	:	not determined
Viscosity		
Viscosity, dynamic	:	No data available

## Therminol® 72 Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: 01/09/2019
3.1	01/15/2020	150000093443	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

---

Viscosity, kinematic : 5.74 mm<sup>2</sup>/s (104 °F / 40 °C)

Explosive properties : Not classified

Oxidizing properties : Not classified

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : None known.

Conditions to avoid : Heating in air.  
Keep away from flames and sparks.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : Emits acrid smoke and fumes when heated to decomposition.

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity**

Harmful if inhaled.

**Product:**

Acute oral toxicity

: LD50 Oral (Rat): > 2,000 mg/kg  
Assessment: May be harmful if swallowed.

Acute inhalation toxicity

: LC50 (Expert judgment): > 2.66 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: Harmful if inhaled.

Acute dermal toxicity

: LD50 Dermal (Rabbit): > 2,000 mg/kg  
Remarks: Not classified

**Components:****diphenyl oxide:**

Acute oral toxicity

: LD50 Oral (Rat, female): 2,830 mg/kg

Acute inhalation toxicity

: LC50: Remarks: No data available

Acute dermal toxicity

: LD50 Dermal (Rabbit, Male and Female): > 7,940 mg/kg

---

## Therminol® 72 Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: 01/09/2019
3.1	01/15/2020	150000093443	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

---

**Terphenyl:**

Acute oral toxicity

: LD50 Oral (Rat): > 2,000 mg/kg  
Assessment: Not classified

Acute inhalation toxicity

: LC50 (Rat): > 3.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: Not classified

Acute dermal toxicity

: LD50 Dermal (Rabbit): > 2,000 mg/kg  
Assessment: Not classified

**Biphenyl; diphenyl:**

Acute oral toxicity

: LD50 Oral (Rat, male): > 2,180 mg/kg  
Assessment: The component/mixture is minimally toxic after single ingestion.

Acute inhalation toxicity

: LC50 (Rat, male and female): > 3.47 mg/l  
Exposure time: 1 h  
Assessment: The substance or mixture has no acute inhalation toxicity

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

Species : Rabbit  
Assessment : Not classified  
Result : No skin irritation

**Components:****diphenyl oxide:**

Species : Rabbit  
Exposure time : 4 h  
Result : none

**Terphenyl:**

Species : Rabbit  
Exposure time : 24 h  
Result : none

**Biphenyl; diphenyl:**

Species : Rabbit  
Result : slight

Species : Humans  
Assessment : Irritating to skin.



## Therminol® 72 Heat Transfer Fluid

Version            Revision Date:            SDS Number:            Date of last issue: 01/09/2019  
3.1                01/15/2020                150000093443            Date of first issue: 09/06/2016  
PRD                                               SDSUS / Z8 / 0001

---

Result                                : strong

**Serious eye damage/eye irritation**

Not classified based on available information.

**Product:**

Species                                : Rabbit  
Result                                 : No eye irritation  
Assessment                            : Not classified

**Components:****diphenyl oxide:**

Species                                : Rabbit  
Result                                 : corneal opacity  
Exposure time                        : 4 h  
Assessment                            : irritating

Result                                 : slight to moderate

**Terphenyl:**

Species                                : Rabbit  
Result                                 : slight  
Exposure time                        : 72 h  
Assessment                            : Not classified

**Biphenyl; diphenyl:**

Species                                : Rabbit  
Result                                 : slight irritation

Species                                : Humans  
Result                                 : strong  
Assessment                            : Irritating to eyes.

**Respiratory or skin sensitization****Skin sensitization**

May cause an allergic skin reaction.

**Respiratory sensitization**

Not classified based on available information.

**Product:**

Test Type                              : OECD 429: LLNA  
Species                                 : Guinea pig  
Method                                 : OECD Test Guideline 429  
Result                                 : Causes sensitization.

**Components:****diphenyl oxide:**

Test Type                              : Skin Sensitization  
Species                                 : Guinea pig  
Assessment                            : Not classified

## Therminol® 72 Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: 01/09/2019
3.1	01/15/2020	150000093443	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Method : OECD 406: Guinea pig sensitization  
 Result : non-sensitizing

Test Type : Human experience  
 Species : Humans  
 Assessment : Not classified  
 Method : Human Repeat Insult Patch Test  
 Result : non-sensitizing

**Terphenyl:**

Test Type : OECD 429: LLNA  
 Routes of exposure : Dermal  
 Species : Guinea pig  
 Method : OECD Test Guideline 429  
 Result : Causes sensitization.

**Biphenyl; diphenyl:**

Test Type : OECD 406: Guinea pig sensitization  
 Species : Guinea pig  
 Assessment : Not classified  
 Result : Does not cause skin sensitization.

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****diphenyl oxide:**

Genotoxicity in vitro

: Test Type: Salmonella typhimurium assay (Ames test)  
 Metabolic activation: +/- activation  
 Method: Bacterial Reverse Mutation Assay  
 Result: negative

Test Type: Mutagenicity - Mammalian  
 Metabolic activation: +/- activation  
 Method: In vitro Mammalian Cell Gene Mutation Test  
 Result: negative

Test Type: Mutagenicity - Mammalian  
 Metabolic activation: +/- activation  
 Method: In vitro Mammalian Chromosome Aberration Test  
 Result: negative

Test Type: Mutagenicity - Mammalian  
 Metabolic activation: +/- activation  
 Method: OECD Guideline 482  
 Result: negative

**Terphenyl:**

Genotoxicity in vitro

: Test Type: Mutagenicity - Bacterial

## Therminol® 72 Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: 01/09/2019
3.1	01/15/2020	150000093443	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

---

Metabolic activation: +/- activation  
 Method: Bacterial Reverse Mutation Assay  
 Result: negative

Metabolic activation: +/- activation  
 Method: In vitro Mammalian Chromosome Aberration Test  
 Result: negative

Test Type: Mutagenicity - Mammalian  
 Metabolic activation: +/- activation  
 Method: In vitro Mammalian Cell Gene Mutation Test  
 Result: negative

Test Type: Mutagenicity - Mammalian  
 Method: OECD Guideline 482  
 Result: negative

Genotoxicity in vivo : Species: Rat  
 Method: Mammalian Bone Marrow Chromosome Aberration Test  
 Result: negative

**Biphenyl; diphenyl:**  
 Genotoxicity in vitro

: Test Type: Salmonella typhimurium assay (Ames test)  
 Metabolic activation: +/- activation  
 Method: Bacterial Reverse Mutation Assay  
 Result: negative

Test Type: Mutagenicity - Mammalian  
 Metabolic activation: + activation  
 Method: In vitro Mammalian Cell Gene Mutation Test  
 Result: positive

Test Type: Chromosome aberration test in vitro  
 Metabolic activation: +/- activation  
 Method: In vitro Mammalian Chromosome Aberration Test  
 Result: negative

Test Type: Mutagenicity - Mammalian  
 Method: OECD Guideline 482  
 Result: negative

Genotoxicity in vivo : Species: Mouse (Male and Female)  
 Method: Mammalian Erythrocyte Micronucleus Test  
 Result: negative

Species: Rat (male)  
 Method: Mammalian Bone Marrow Chromosome Aberration Test  
 Result: negative

## Therminol® 72 Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: 01/09/2019
3.1	01/15/2020	150000093443	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

**Carcinogenicity**

Not classified based on available information.

**Components:****Biphenyl; diphenyl:**

Species	:	Rat, male and female
Application Route	:	Ingestion
Method	:	OECD Test No. 453: Combined Chronic Toxicity/Carcinogenicity Studies
Remarks	:	Expert judgment Not classified

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**Product:**

Effects on fertility	:	Remarks: No data available
----------------------	---	----------------------------

**Components:****diphenyl oxide:**

Reproductive toxicity - Assessment	:	Based on available data the classification criteria are not met. Not classified as hazardous.
------------------------------------	---	--

**Biphenyl; diphenyl:**

Reproductive toxicity - Assessment	:	Based on available data the classification criteria are not met. Not classified as hazardous.
------------------------------------	---	--

**STOT-single exposure**

May cause respiratory irritation.

**Product:**

Routes of exposure	:	inhalation (dust/mist/fume)
Assessment	:	May cause respiratory irritation.

**Components:****diphenyl oxide:**

Routes of exposure	:	Inhalation
Assessment	:	Based on available data, the classification criteria are not met.

## Therminol® 72 Heat Transfer Fluid

Version      Revision Date:      SDS Number:      Date of last issue: 01/09/2019  
3.1            01/15/2020            150000093443      Date of first issue: 09/06/2016  
PRD                            SDSUS / Z8 / 0001

---

**Biphenyl; diphenyl:**

Routes of exposure            : Inhalation  
Target Organs                 : Respiratory system  
Assessment                     : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

**STOT-repeated exposure**

Not classified based on available information.

**Product:**

Assessment                     : Based on available data, the classification criteria are not met.

**Components:****diphenyl oxide:**

Assessment                     : Based on available data, the classification criteria are not met.

**Biphenyl; diphenyl:**

Target Organs                 : Kidney, Liver, Urinary bladder  
Assessment                     : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Repeated dose toxicity****Components:****diphenyl oxide:**

Species                         : Rat, male and female  
NOAEL                          : 301 mg/kg  
Application Route             : Oral Study  
Exposure time                 : 90 days  
Remarks                        : (highest dose tested)

Species                         : Rat, male and female  
NOAEL                          : 1000 mg/kg  
Application Route             : Dermal Study  
Exposure time                 : 90 days  
Remarks                        : (highest dose tested)

Species                         : Rat, male and female  
NOAEL                          : 139 mg/m<sup>3</sup>  
Application Route             : inhalation (vapor)  
Exposure time                 : 28 days  
Remarks                        : (highest dose tested)

**Biphenyl; diphenyl:**

Species                         : Rat, male and female  
NOAEL                          : 39 mg/kg  
Application Route             : in feed  
Exposure time                 : 2 year  
Method                          : OECD Test No. 453: Combined Chronic Toxici-

## Therminol® 72 Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: 01/09/2019
3.1	01/15/2020	150000093443	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Target Organs	:	ty/Carcinogenicity Studies Blood, Kidney, Liver
Species	:	Rabbit
NOAEL	:	> 2,000 mg/kg
Application Route	:	Dermal
Exposure time	:	28 days
Remarks	:	No significant adverse effects were reported

**Aspiration toxicity**

May be fatal if swallowed and enters airways.

**Product:**

May be fatal if swallowed and enters airways.

**Information on likely routes of exposure****Product:**

Inhalation	:	Remarks: Harmful if inhaled. May cause respiratory irritation.
Skin contact	:	Remarks: May cause an allergic skin reaction.
Eye contact	:	Remarks: None known.
Ingestion	:	Remarks: May be fatal if swallowed and enters airways. May be harmful if swallowed.

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:****Ecotoxicology Assessment**

Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.

**Components:****diphenyl oxide:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 4.2 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 1.7 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (algae)): 0.455 mg/l Exposure time: 72 h

## Therminol® 72 Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: 01/09/2019
3.1	01/15/2020	150000093443	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

**Terphenyl:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 27 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.022 mg/l  
Exposure time: 48 h

LC50 (Mysidopsis bahia (opossum shrimp)): 0.028 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : NOEC: 0.025 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.037 mg/l  
Exposure time: 30 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0048 mg/l  
Exposure time: 21 d

**Biphenyl; diphenyl:**

Toxicity to fish : EC50 (Pimephales promelas (fathead minnow)): 3 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.36 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Chlorella pyrenoidosa): 1.3 mg/l  
Exposure time: 72 h

NOEC (Chlorella pyrenoidosa): 0.66 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.229 mg/l  
Exposure time: 96 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.17 mg/l  
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1

## Therminol® 72 Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: 01/09/2019
3.1	01/15/2020	15000093443	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

---

**Persistence and degradability****Product:**

Biochemical Oxygen Demand (BOD) : Remarks: No data available

Chemical Oxygen Demand (COD) : Remarks: No data available

**Components:****diphenyl oxide:**

Biodegradability

: Result: Readily biodegradable.  
Method: Ready Biodegradability: Modified MITI Test (I)

Biochemical Oxygen Demand (BOD) : Remarks: No data available

Chemical Oxygen Demand (COD) : Remarks: No data available

**Terphenyl:**

Biodegradability

: Result: Not readily biodegradable.

**Biphenyl; diphenyl:**

Biodegradability

: Result: Readily biodegradable.  
Method: Ready Biodegradability: Modified MITI Test (I)

**Bioaccumulative potential****Components:****diphenyl oxide:**

Bioaccumulation

: Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 49 - 594  
Method: OECD Test Guideline 305

Species: Oncorhynchus mykiss (rainbow trout)  
Bioconcentration factor (BCF): 196

**Terphenyl:**

Bioaccumulation

: Species: Carassius auratus (goldfish)  
Bioconcentration factor (BCF): 600

Partition coefficient: n-octanol/water : log Pow: 5.09



## Therminol® 72 Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: 01/09/2019
3.1	01/15/2020	150000093443	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

---

**Biphenyl; diphenyl:**

Bioaccumulation

: Bioconcentration factor (BCF): 1,900

**Mobility in soil****Components:****diphenyl oxide:**

Distribution among environmental compartments : Koc: 1960, log Koc: 3.3

**Terphenyl:**Distribution among environmental compartments : log Koc: 5  
Method: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC)**Biphenyl; diphenyl:**Distribution among environmental compartments : Medium: Soil  
Koc: 1546, log Koc: 3.19  
Method: OECD Test No. 106: Adsorption - Desorption Using a Batch Equilibrium Method**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal. This material when discarded may be a hazardous waste as that term is defined by the Resource Conservation and Recovery Act (RCRA), 40 CFR 261.24, due to its toxicity characteristic. This material should be analyzed in accordance with Method 1311 for the compound D018 BENZENE. Consult 40 CFR 268.40 or appropriate local regulations for concentration based standards. This product meets the criteria for a synthetic used oil under the U.S. EPA Standards for the Management of Used Oil (40 CFR 279). Those standards govern recycling and disposal in lieu of 40 CFR 260 -272 of the Federal hazardous waste program in states that have adopted these used oil regulations. Consult your attorney or appropriate regulatory official to be sure these standards have been adopted in your state. Recycle or burn in accordance with the applicable standards. Eastman Chemical Company operates a used fluid return

## Therminol® 72 Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: 01/09/2019
3.1	01/15/2020	15000093443	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

program for certain fluids under these used oil standards.  
Contact your Sales Representative for details.

## SECTION 14. TRANSPORT INFORMATION

## International Regulations

**IATA-DGR**

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Diphenyl Ether, biphenyl)
Class	: 9
Packing group	: III
Labels	: Class 9 - Miscellaneous dangerous substances and articles
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Remarks	: Shipping in package sizes of less than 5 L (liquids) or 5 KG (solids) may lead to a non-regulated classification.

**IMDG-Code**

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diphenyl Ether, biphenyl, diphenyl)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes
Remarks	: Shipping in package sizes of less than 5 L (liquids) or 5 KG (solids) may lead to a non-regulated classification.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****49 CFR**

UN/ID/NA number	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (biphenyl)
Class	: 9
Packing group	: III
Labels	: Class 9 - Miscellaneous dangerous substances and articles
ERG Code	: 171
Marine pollutant	: yes(diphenyl)
Remarks	: Shipping in package sizes of less than 5 L (liquids) or 5 KG (solids) may lead to a non-regulated classification.

## Therminol® 72 Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: 01/09/2019
3.1	01/15/2020	150000093443	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know****CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Biphenyl; diphenyl	92-52-4	100	625

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards**

: Acute toxicity (any route of exposure)  
Respiratory or skin sensitization  
Specific target organ toxicity (single or repeated exposure)  
Aspiration hazard

**SARA 313**

: The following components are subject to reporting levels established by SARA Title III, Section 313:

Biphenyl; diphe- 92-52-4  
nyl

**California Prop. 65**

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

**The ingredients of this product are reported in the following inventories:**

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory
DSL	: All components of this product are on the Canadian DSL
ENCS	: On the inventory, or in compliance with the inventory
ISHL	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: Not listed
IECSC	: On the inventory, or in compliance with the inventory

## Therminol® 72 Heat Transfer Fluid


Version 3.1 PRD      Revision Date: 01/15/2020      SDS Number: 150000093443      Date of last issue: 01/09/2019  
 SDSUS / Z8 / 0001      Date of first issue: 09/06/2016

NZIoC : Not listed

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

**SECTION 16. OTHER INFORMATION****Further information****NFPA 704:****HMIS® IV:**

<b>HEALTH</b>	/	<b>3</b>
<b>FLAMMABILITY</b>		<b>1</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
 NIOSH REL : USA. NIOSH Recommended Exposure Limits  
 OSHA P0 : USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000  
 OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  
 ACGIH / TWA : 8-hour, time-weighted average  
 ACGIH / STEL : Short-term exposure limit  
 NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek  
 OSHA P0 / TWA : 8-hour time weighted average  
 OSHA P0 / C : Ceiling limit  
 OSHA Z-1 / TWA : 8-hour time weighted average  
 OSHA Z-1 / C : Ceiling

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Haz-

## Therminol® 72 Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: 01/09/2019
3.1	01/15/2020	150000093443	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

ardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to : [www.therminol.com/products/](http://www.therminol.com/products/)  
compile the Material Safety  
Data Sheet

Revision Date : 01/15/2020

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8