

Therminol® FF

Version Revision Date: SDS Number: Date of last issue: -
1.1 07/19/2019 150000093449 Date of first issue: 09/06/2016
PRD SDSUS / Z8 / 0001

SECTION 1. IDENTIFICATION

Product name : Therminol® FF
Product code : 34142-00, P3414203, P3414200, P3414202, P3414201,
E3414201

Manufacturer or supplier's details

Company name of supplier : Eastman Chemical Company
Address : 200 South Wilcox Drive
Kingsport TN 37660-5280
Telephone : (423) 229-2000
Emergency telephone : CHEMTREC: +1-800-424-9300, +1-703-527-3887 CCN7321
For emergency transportation information, in the United
States: call CHEMTREC at 800-424-9300 or call 423-229-
2000.

Recommended use of the chemical and restrictions on use


Recommended use : Solvent
Cleaning agent
Restrictions on use : None known.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Skin irritation : Category 2
Skin sensitization : Category 1
Aspiration hazard : Category 1

GHS label elements

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.

Therminol® FF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	07/19/2019	150000093449	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Precautionary Statements : **Prevention:**
P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves.

Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P331 Do NOT induce vomiting.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Polyethylbenzene	68608-82-2	100

SECTION 4. FIRST AID MEASURES

If inhaled : Remove person to fresh air and keep comfortable for breathing.
Get medical attention if symptoms occur.
If breathing is difficult, give oxygen.

In case of skin contact : Wash off with soap and plenty of water.
Get medical attention if symptoms occur.
Wash contaminated clothing before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
Get medical attention if symptoms occur.

If swallowed : Immediately call a POISON CENTER/doctor.
Do NOT induce vomiting.

Most important symptoms and effects, both acute and : May be fatal if swallowed and enters airways.
Causes skin irritation.

Therminol® FF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	07/19/2019	150000093449	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

delayed : May cause an allergic skin reaction.

Notes to physician : Do NOT induce vomiting.
Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Carbon dioxide (CO₂)
Dry chemical
Foam

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

Hazardous combustion products : Carbon oxides

Further information : Use a water spray to cool fully closed containers.
Do not allow run-off from fire fighting to enter drains or water courses.

This product is not classified as a fire-resistant heat transfer fluid. Precautions to avoid sources of ignitions should be taken.

Special protective equipment for fire-fighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.
Ventilate the area.
Do not breathe vapors or spray mist.
Avoid contact with skin and eyes.
Material can create slippery conditions.
Wear appropriate personal protective equipment.
Local authorities should be advised if significant spillages cannot be contained.

Environmental precautions : Clear up spills immediately and dispose of waste safely.
Avoid release to the environment.
Collect spillage.

Methods and materials for containment and cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not breathe vapors or spray mist.
Handle product only in closed system or provide appropriate

Therminol®FF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	07/19/2019	15000093449	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

exhaust ventilation at machinery.
 In case of insufficient ventilation, wear suitable respiratory equipment.
 Keep away from flames and sparks.
 Wear appropriate personal protective equipment.
 Avoid contact with skin, eyes and clothing.
 Wash thoroughly after handling.
 Wash contaminated clothing before reuse.
 Drain or remove substance from equipment prior to break-in or maintenance.
 Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
 Keep in a cool place away from oxidizing agents.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Polyethylbenzene	68608-82-2	TWA	2 mg/m3	Eastman Chemical Company occupational exposure limit

Engineering measures : Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary.
 Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable.
 If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Hand protection

Therminol®FF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	07/19/2019	15000093449	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Remarks : Wear suitable gloves. When handling hot material, use heat resistant gloves. After contamination with product change the gloves immediately and dispose of them according to relevant national and local regulations.

Eye protection : Wear safety glasses with side shields (or goggles).

Skin and body protection : Wear suitable protective clothing.

Protective measures : Ensure that eye flushing systems and safety showers are located close to the working place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : amber

Odor : aromatic, hydrocarbon-like

Odor Threshold : not determined

pH : not determined

Melting point/freezing point : < -15 °F / -26 °C
(1,013 hPa)

Boiling point/boiling range : 419 - 549 °F / 215 - 287 °C
(1,013 hPa)

Flash point : > 248 °F / 120 °C
(1,013 hPa)
Method: Cleveland open cup

Evaporation rate : not determined

Self-ignition : 752 - 779 °F / 400 - 415 °C
Method: ASTM D2155

Upper explosion limit / Upper flammability limit : not determined

Lower explosion limit / Lower flammability limit : not determined

Vapor pressure : 0.0015 kPa (77 °F / 25 °C)

Relative vapor density : not determined

Relative density : 0.96 - 1.0 (77 °F / 25 °C)

Density : 960 - 1,000 kg/m³ (77 °F / 25 °C)

Therminol® FF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	07/19/2019	15000093449	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Solubility(ies)
Water solubility : 0.55 mg/l (68 °F / 20 °C)

Partition coefficient: n-
octanol/water : No data available

Autoignition temperature : not determined

Decomposition temperature : not determined

Viscosity
Viscosity, dynamic : not determined

Viscosity, kinematic : 2 - 5 mm²/s (104 °F / 40 °C)

Explosive properties : Not classified

Oxidizing properties : Not classified

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-
tions : None known.

Conditions to avoid : Heating in air.
Keep away from flames and sparks.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition
products : Emits acrid smoke and fumes when heated to decomposition.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified based on available information.

Product:

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Components:**Polyethylbenzene:**

Therminol®FF

Version Revision Date: SDS Number: Date of last issue: -
1.1 07/19/2019 150000093449 Date of first issue: 09/06/2016
PRD SDSUS / Z8 / 0001

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1.6 mg/l
 Exposure time: 1 h
 Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Components:**Polyethylbenzene:**

Species : Rabbit
Exposure time : 24 h
Assessment : Moderate
Result : Irritating to skin.

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Polyethylbenzene:**

Species : Rabbit
Result : No eye irritation
Assessment : Not classified

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:**Polyethylbenzene:**

Test Type : Skin sensitization
Species : Mouse
Result : May cause sensitization by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Components:**Polyethylbenzene:**

Genotoxicity in vitro : Test Type: Salmonella typhimurium assay (Ames test)
 Metabolic activation: +/- activation

Therminol®FF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	07/19/2019	15000093449	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Method: Bacterial Reverse Mutation Assay
Result: negative

Test Type: Mutagenicity - Mammalian
Metabolic activation: +/- activation
Method: In vitro Mammalian Chromosome Aberration Test
Result: negative

Test Type: Mutagenicity - Mammalian
Metabolic activation: +/- activation
Method: In vitro Mammalian Cell Gene Mutation Test
Result: negative

Carcinogenicity

Not classified based on available information.

Product:

Remarks : This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

Components:**Polyethylbenzene:**

Routes of exposure : inhalation (dust/mist/fume)
Assessment : Not classified

STOT-repeated exposure

Not classified based on available information.

Components:**Polyethylbenzene:**

Assessment : Not classified

Therminol® FF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	07/19/2019	150000093449	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Repeated dose toxicity**Components:****Polyethylbenzene:**

Species	:	Rat
NOAEL	:	20 mg/kg
Application Route	:	by gavage
Exposure time	:	14 d

Species	:	Rat
	:	20 mg/m ³
Application Route	:	Inhalation
Exposure time	:	28 d

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:**Polyethylbenzene:**

May be fatal if swallowed and enters airways.

Information on likely routes of exposure**Product:**

Inhalation	:	Remarks: None known.
Skin contact	:	Remarks: Causes skin irritation. May cause an allergic skin reaction.
Eye contact	:	Remarks: None known.
Ingestion	:	Remarks: May be fatal if swallowed and enters airways.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Polyethylbenzene:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.97 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Ceriodaphnia dubia (water flea)): 0.029 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (algae)): 0.485 mg/l Exposure time: 72 h
		NOEC (Pseudokirchneriella subcapitata (algae)): 0.0959 mg/l

Therminol® FF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	07/19/2019	15000093449	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Exposure time: 72 h

Persistence and degradability**Components:****Polyethylbenzene:**

Biodegradability : Result: Inherently biodegradable.

Bioaccumulative potential**Components:****Polyethylbenzene:**

Bioaccumulation : Bioconcentration factor (BCF): 250 - 1,090

Partition coefficient: n-octanol/water : Pow: 12,000 - 1,020,000
log Pow: 4.08 - 6.01**Mobility in soil****Components:****Polyethylbenzene:**

Distribution among environmental compartments : log Koc: 3.7

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**Waste from residues : Dispose of in accordance with local regulations.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION**International Regulations****IATA-DGR**UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
()
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964

Therminol® FF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	07/19/2019	150000093449	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	: ()
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**49 CFR**

Not regulated as a dangerous good

Remarks	: Shipping in package sizes of less than 5 L (liquids) or 5 KG (solids) may lead to a non-regulated classification.
---------	---

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	: Skin corrosion or irritation Respiratory or skin sensitization Aspiration hazard
-----------------------------	--

SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
-----------------	---

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

Therminol®FF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	07/19/2019	150000093449	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

DSL : On the inventory, or in compliance with the inventory

AICS : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory


TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION**Further information****NFPA 704:****HMIS® IV:**

HEALTH	/	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

Therminol® FF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	07/19/2019	150000093449	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : www.therminol.com/products/

Revision Date : 07/19/2019

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8