

Therminol® LT Heat Transfer Fluid

Version 1.1 PRD Revision Date: 05/16/2019 SDS Number: 150000093466 Date of last issue: -
SDSUS / Z8 / 0001 Date of first issue: 09/06/2016

SECTION 1. IDENTIFICATION

Product name : Therminol® LT Heat Transfer Fluid
Product code : 34159-00, P3415903, P3415904, P3415902, P3415900, E3415901

Manufacturer or supplier's details

Company name of supplier : Eastman Chemical Company
Address : 200 South Wilcox Drive
Kingsport TN 37660-5280
Telephone : (423) 229-2000
Emergency telephone : CHEMTREC: +1-800-424-9300, +1-703-527-3887 CCN7321

Recommended use of the chemical and restrictions on use

Recommended use : Heat transfer fluids
Restrictions on use : None known.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Flammable liquids : Category 3
Skin irritation : Category 2
Aspiration hazard : Category 1

GHS label elements

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H226 Flammable liquid and vapor.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.

Precautionary Statements : **Prevention:**
P210 Keep away from heat/sparks/open flames/hot surfaces.
No smoking.
P233 Keep container tightly closed.

Therminol® LT Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/16/2019	15000093466	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P331 Do NOT induce vomiting.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

Chemical name	CAS-No.	Concentration (% w/w)
diethylbenzene	25340-17-4	> 96.5

SECTION 4. FIRST AID MEASURES

If inhaled : Remove person to fresh air and keep comfortable for breathing.
Get medical attention if symptoms occur.
If breathing is difficult, give oxygen.

In case of skin contact : Wash off with soap and plenty of water.
Get medical attention if symptoms occur.
Wash contaminated clothing before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.

Therminol® LT Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/16/2019	150000093466	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Get medical attention if symptoms occur.

If swallowed : IF SWALLOWED: Immediately call a POISON CENTER/doctor.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : May be fatal if swallowed and enters airways.
Causes skin irritation.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Carbon dioxide (CO2)
Dry chemical
Foam

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

Hazardous combustion products : Hazardous decomposition products due to incomplete combustion
Carbon oxides

Further information : Use a water spray to cool fully closed containers.
Do not allow run-off from fire fighting to enter drains or water courses.

This product is not classified as a fire-resistant heat transfer fluid. Precautions to avoid sources of ignitions should be taken.

Special protective equipment for fire-fighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.
Ventilate the area.
Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
Avoid contact with skin and eyes.
Material can create slippery conditions.
Wear appropriate personal protective equipment.
Local authorities should be advised if significant spillages cannot be contained.

Environmental precautions : Clear up spills immediately and dispose of waste safely.
Avoid release to the environment.
Collect spillage.

Methods and materials for : Contain spillage, soak up with non-combustible absorbent

Therminol® LT Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/16/2019	150000093466	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

containment and cleaning up material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not breathe vapors or spray mist.
 Handle product only in closed system or provide appropriate exhaust ventilation at machinery.
 In case of insufficient ventilation, wear suitable respiratory equipment.
 Keep away from flames and sparks.
 Wear appropriate personal protective equipment.
 Avoid contact with skin, eyes and clothing.
 Wash thoroughly after handling.
 Wash contaminated clothing before reuse.
 Drain or remove substance from equipment prior to break-in or maintenance.
 Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
 Keep in a cool place away from oxidizing agents.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary.
 Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable.
 If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Hand protection

Therminol® LT Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/16/2019	150000093466	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Remarks	:	Wear suitable gloves. When handling hot material, use heat resistant gloves.
Eye protection	:	Wear safety glasses with side shields (or goggles).
Skin and body protection	:	Wear suitable protective clothing.
Protective measures	:	Ensure that eye flushing systems and safety showers are located close to the working place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	colorless, light yellow
Odor	:	aromatic, hydrocarbon-like
Odor Threshold	:	not determined
pH	:	not determined
Pour point	:	-103 °F / -75 °C
Boiling point/boiling range	:	358 °F / 181 °C (1,013 hPa)
Flash point	:	136 °F / 58 °C Method: Pensky-Martens closed cup
Evaporation rate	:	not determined
Flammability (solid, gas)	:	Not applicable
Self-ignition	:	804 °F / 429 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapor pressure	:	1 hPa (68 °F / 20 °C)
Relative vapor density	:	not determined
Relative density	:	0.870 (59 °F / 15 °C)
Density	:	862 kg/m ³ (77 °F / 25 °C)

Therminol® LT Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/16/2019	150000093466	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Solubility(ies)	
Water solubility	: 14 mg/l (77 °F / 25 °C)
Partition coefficient: n-octanol/water	: log Pow: 3.72
Autoignition temperature	: not determined
Decomposition temperature	: not determined
Viscosity	
Viscosity, dynamic	: not determined
Viscosity, kinematic	: 4.17 mm ² /s (-58 °F / -50 °C)
	0.81 mm ² /s (104 °F / 40 °C)
	0.48 mm ² /s (212 °F / 100 °C)
Explosive properties	: Not classified
Oxidizing properties	: Not classified

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: None reasonably foreseeable.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: None known.
Conditions to avoid	: Heating in air. Keep away from flames and sparks.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: Emits acrid smoke and fumes when heated to decomposition.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified based on available information.

Product:

Acute oral toxicity	: LD50 (Rat): 2,050 mg/kg
Acute inhalation toxicity	: Remarks: No data available
Acute dermal toxicity	: LD50 (Rabbit): > 5,000 mg/kg

Therminol® LT Heat Transfer Fluid

Version Revision Date: SDS Number: Date of last issue: -
1.1 05/16/2019 150000093466 Date of first issue: 09/06/2016
PRD SDSUS / Z8 / 0001

Components:**diethylbenzene:**

Acute oral toxicity : LD50 Oral (Rat): 2,050 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Product:

Species : Rabbit
Exposure time : 24 h
Remarks : Causes skin irritation.

Components:**diethylbenzene:**

Species : Rabbit
Exposure time : 24 h
Result : Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit
Exposure time : 24 h
Remarks : No eye irritation

Components:**diethylbenzene:**

Species : Rabbit
Result : No eye irritation
Exposure time : 24 h

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Species : Guinea pig
Result : Does not cause skin sensitization.

Therminol® LT Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/16/2019	150000093466	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Components:**diethylbenzene:**

Species : Guinea pig
Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro : Test Type: Mutagenicity - Bacterial
Metabolic activation: +/- activation
Result: negative

Test Type: Mutagenicity - Mammalian
Metabolic activation: +/- activation
Result: negative

Test Type: Chromosome aberration test in vitro
Metabolic activation: +/- activation
Result: negative

Genotoxicity in vivo : Species: Mouse
Method: Mammalian Erythrocyte Micronucleus Test
Result: negative

Components:**diethylbenzene:**

Genotoxicity in vitro : Test Type: Mutagenicity - Bacterial
Metabolic activation: +/- activation
Result: negative

Test Type: Mutagenicity - Mammalian
Metabolic activation: +/- activation
Result: negative

Test Type: Chromosome aberration test in vitro
Metabolic activation: +/- activation
Result: negative

Genotoxicity in vivo : Species: Mouse
Method: Mammalian Erythrocyte Micronucleus Test
Result: negative

Carcinogenicity

Not classified based on available information.

Product:

Remarks : Not classified

Therminol® LT Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/16/2019	150000093466	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Components:

diethylbenzene:

Remarks : Not classified

Reproductive toxicity

Not classified based on available information.

Product:

Effects on fertility : Species: Rat
Application Route: Oral
General Toxicity Parent: NOAEL: 250 milligram per kilogram

Effects on fetal development : Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 20 mg/kg body weight

Components:

diethylbenzene:

Effects on fertility : Species: Rat
Application Route: Oral
General Toxicity Parent: NOAEL: 250 milligram per kilogram

Effects on fetal development : Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 20 mg/kg body weight

STOT-single exposure

Not classified based on available information.

Product:

Remarks : Not classified

Components:

diethylbenzene:

Assessment : Not classified

STOT-repeated exposure

Not classified based on available information.

Product:

Remarks : Not classified

Components:

diethylbenzene:

Assessment : Not classified

Therminol® LT Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/16/2019	150000093466	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Repeated dose toxicity**Product:**

Species : Rat
 NOAEL : 150 mg/kg bw/day
 Application Route : oral (gavage)

Species : Rat
 : 190 mg/m³
 Application Route : Inhalation
 Exposure time : 90 days

Components:**diethylbenzene:**

Species : Rat
 NOAEL : 150 mg/kg bw/day
 Application Route : oral (gavage)

Species : Rat
 : 190 mg/m³
 Application Route : Inhalation
 Exposure time : 90 days

Aspiration toxicity

May be fatal if swallowed and enters airways.

Product:

May be fatal if swallowed and enters airways.

Components:**diethylbenzene:**

May be fatal if swallowed and enters airways.

Information on likely routes of exposure**Product:**

Inhalation : Remarks: None known.
 Skin contact : Remarks: Causes skin irritation.
 Eye contact : Remarks: None known.
 Ingestion : Remarks: May be fatal if swallowed and enters airways.

Therminol® LT Heat Transfer Fluid

Version 1.1 PRD Revision Date: 05/16/2019 SDS Number: 150000093466 Date of last issue: -
SDSUS / Z8 / 0001 Date of first issue: 09/06/2016

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.673 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.01 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (algae)): 1.21 mg/l
Exposure time: 72 h

Components:**diethylbenzene:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.673 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.01 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (algae)): 1.21 mg/l
Exposure time: 72 h

Persistence and degradability**Product:**

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 4.7 %
Exposure time: 28 d

Components:**diethylbenzene:**

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 4.7 %
Exposure time: 28 d

Bioaccumulative potential**Product:**

Bioaccumulation : Bioconcentration factor (BCF): 320 - 629
Remarks: Bioaccumulation is unlikely.

Components:**diethylbenzene:**

Bioaccumulation : Bioconcentration factor (BCF): 320 - 629

Therminol® LT Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/16/2019	150000093466	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Remarks: Bioaccumulation is unlikely.

Mobility in soil**Product:**

Distribution among environmental compartments : Koc: 1350, log Koc: 3.13

Components:**diethylbenzene:**

Distribution among environmental compartments : Koc: 1350, log Koc: 3.13

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

This material when discarded may be a hazardous waste as that term is defined by the Resource Conservation and Recovery Act (RCRA), 40 CFR 261.24, due to its toxicity characteristic. This material should be analyzed in accordance with Method 1311 for the compound D018 BENZENE.

Consult 40 CFR 268.40 or appropriate local regulations for concentration based standards.

This product meets the criteria for a synthetic used oil under the U.S. EPA Standards for the Management of Used Oil (40 CFR 279). Those standards govern recycling and disposal in lieu of 40 CFR 260 -272 of the Federal hazardous waste program in states that have adopted these used oil regulations. Consult your attorney or appropriate regulatory official to be sure these standards have been adopted in your state. Recycle or burn in accordance with the applicable standards.

Eastman Chemical Company operates a used fluid return program for certain fluids under these used oil standards. Contact your Sales Representative for details.

SECTION 14. TRANSPORT INFORMATION**International Regulations****IATA-DGR**

UN/ID No. : UN 2049

Therminol® LT Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/16/2019	150000093466	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Proper shipping name : Diethylbenzene
 Class : 3
 Packing group : III
 Labels : Flammable Liquids
 Packing instruction (cargo aircraft) : 366
 Packing instruction (passenger aircraft) : 355

IMDG-Code

UN number : UN 2049
 Proper shipping name : DIETHYLBENZENE
 (diethylbenzene)
 Class : 3
 Packing group : III
 Labels : 3
 EmS Code : F-E, S-D
 Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**49 CFR**

UN/ID/NA number : UN 2049
 Proper shipping name : Diethylbenzene
 Class : 3
 Packing group : III
 Labels : Class 3 - Flammable Liquid
 ERG Code : 130
 Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)
------------	---------	---------------------

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)
 Skin corrosion or irritation
 Aspiration hazard

Therminol® LT Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/16/2019	150000093466	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.


Therminol® LT Heat Transfer Fluid

Version
1.1
PRDRevision Date:
05/16/2019SDS Number:
150000093466
SDSUS / Z8 / 0001Date of last issue: -
Date of first issue: 09/06/2016

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	/	3
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -

Therminol® LT Heat Transfer Fluid

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/16/2019	150000093466	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : www.therminol.com/products/

Revision Date : 05/16/2019

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8